

AFTER CARE CARD

INTRALINE
DERMAL FILLER



WHAT TO EXPECT

- Allow yourself time to rest and recover after your Intraline treatment.
- Following the treatment, you may experience some redness, tenderness, numbness, itching, or bruising at the injection site. This is completely normal and will disappear within a few days.
- Following lip treatment, swelling may last up to a week, sometimes causing an uneven appearance in the days post-treatment. This is not reflective of your “final result” in any way.
- Please contact your Practitioner should any side effects last longer than a week.

AFTERCARE

- Avoid touching the treated area for six hours. This prevents infection by allowing the injection sites to close.
- Avoid exposing the treated area to extreme temperatures (e.g. cold, heat, sunbathing, solarium etc.) during the first week or until any undesirable reactions have fully healed.
- Avoid strenuous exercise within the first day or two following application.
- Do not apply make-up to the treated area for at least 12 hours.
- If you are taking aspirin or similar medications, you may bruise more easily. Please continue taking any medications that your G.P. has prescribed to you in their regular doses.

FURTHER TREATMENT

- Factors such as the structure of your skin, your lifestyle, and your age will all influence the longevity of your Intraline treatment results.
- The procedure may be repeated as often as you like, though most patients choose to undergo follow-up treatment every 6–12 months to maintain their fresh and youthful appearance.

PRACTITIONER/CLIENT NAME:

PHONE NUMBER:

IN CASE OF EMERGENCY PHONE:

I N T R A L I N E

phone: +44 (0) 203 841 8001

email: info@intraline.com

website: www.intraline.com